The Dynamics of Emotions in Online Interaction

David Garcia[1*], Arvid Kappas[2], Dennis Küster[2], Frank Schweitzer[1]
[1]Chair of Systems Design, ETH Zurich, Weinbergstrasse 56/58, 8092 Zurich, Switzerland
[2] Jacobs University Bremen, Campus Ring 1, 28759 Bremen, Germany
[*] dgarcia@ethz.ch

May 12, 2016

arXiv:1605.03757v1 [cs.HC] 12 May 2016

Abstract

We study the changes in emotional states induced by reading and participating in online discussions, empirically testing a computational model of online emotional interaction. Using principles of dynamical systems, we quantify changes in valence and arousal through subjective reports, as recorded in three independent studies including 207 participants (110 female). In the context of online discussions, the dynamics of valence and arousal are composed of two forces: an internal relaxation towards baseline values independent of the emotional charge of the discussion, and a driving force of emotional states that depends on the content of the discussion. The dynamics of valence show the existence of positive and negative tendencies, while arousal increases when reading emotional content regardless of its polarity. The tendency of participants to take part in the discussion increases with positive arousal. When participating in an online discussion, the content of participants' expression depends on their valence, and their arousal significantly decreases afterwards as a regulation mechanism. We illustrate how these results allow the design of agent-based models to reproduce and analyze emotions in online communities. Our work empirically validates the microdynamics of a model of online collective emotions, bridging online data analysis with research in the laboratory.

1 Introduction

Intergroup emotions theory, based on appraisal theory [38, 58, 52] and the social identity perspective [66] suggests that dynamic variability of emotions over time can be found not only at the individual level but also at the level of group and collective emotions [60, 71]. More specifically, emotional experience has been found to elicit the social sharing of emotion in the construction of emotional climates [42, 41], via processes that are likely to involve group identification [59], emotion contagion [75], conformity with group norms [66], and social or group-based regulation of emotion [29, 60], to name a few. It is likely that such processes are not limited to face-to-face encounters, in particular since many of the sources of over-time variability of group-based emotions [60] and collective emotions [71] may be at least partially of an informational nature. Participatory online communities, such as social networking sites or discussion fora, provide a thriving medium for the emergence of such collective emotional phenomena.

Collective emotions are defined as states of an community in which a large number of individuals share one or more emotional states [71, 29]. While the differences between face-to-face and online interaction are evident, collective emotions can also emerge in online communities [55, 72], a topic that is receiving rising attention in the literature (see chapters 25 to 28 of [72]). In the field, collective emotions can be found frequently in online communities, including spontaneous fights in political fora [10], the spreading of Internet memes [23] and political movements [4], or user-generated content on YouTube that may, under certain circumstances, become viral through the excitement of thousands of users [57, 17]. For example, in the 2008 Presidential campaign, supporters of the Obama campaign successfully initiated the spreading of the well-known "Yes We Can" video that had attracted over 20 million views by the time of the democratic nomination [73]. In such cases, there is an intriguing interplay of collective emotions online and emotional behavior offline.

While collective emotions also appear in offline situations, the case of online interaction has recently attracted a lot of attention for three reasons: i) Internet access has spread rapidly over the past decade [14], ii) its usage has noticeably diversified [68], and iii) the traces left on publicly accessible posts and messages allow quantitative analyses of unprecedented size and resolution. Examples of the latter are recent insights on collective emotions that have been derived from forum discussions [10], real-time chatroom conversations [16], and Twitter messages [63]. The role of collective emotions in communication is, obviously, not entirely new to the Internet. In fact, communication sciences have been studying mass-mediated one-to-many communication for decades, particularly in the context of print media, radio, and television [44]. Collective emotions in offline scenarios are related to the concept of emotional contagion [24], which is likely related to several communicative processes, such as dyadic mimicry [25]. Online interaction is still mainly based on textual communication, which has been shown to create interpersonal emotional interaction in real-time chats [16]. Furthermore, controlling social media interaction by its emotional content creates small linguistic cues in written emotional expression [31]. Online written interactions have the power to elicit emotions in the users of online media [27], offering us the chance to combine observational and experimental studies in a unified view of online collective emotions.

Emotional interaction leads to the emergence of collective emotional states that cannot be simplified to behavior observed when individuals react in isolation to emotionally relevant events [29]. This *micro-macro* gap calls for models that can explain the emergence of collective emotions from social interaction [32]. An established approach to understand collective social phenomena is agent-based modeling [54]. Agent-based models are mathematical formulations that define the states and interactions of agents, allowing the analysis of collective behavior either through simulations or through methods from statistical physics. The aim of agent-based modeling is not to design a detailed model that includes all possible aspects of the behavior of the agents, but to

propose a minimal set of computation rules and dynamics that lead to the observed collective behavior. A paradigmatic example is Schelling's model [51]: an extremely simplified model of spatial mobility that shows how social segregation emerges from weak individual biases [5].

Agent-based approaches and computational models are still scarce in empirical psychology [33]. However, this tradition may be about to change. Agent-based models can provide new insights into social psychology [59], unifying different models of social interaction into a comprehensive computational representation of emotions that can encompass a variety of aspects, including identification processes [62] that can take place during online social interaction [9], changes in self-categorization as a group member [56], emotional contagion [24, 75], as well as affective-discoursive patterns that may help to reconnect discourse studies with novel research on affect and emotion [76]. Towards this aim, the modeling in the present paper will be based on the valence and arousal circumplex of core affect [46, 47, 77]. This view is not specific to emotion, but provides some grounding to the application of our techniques in social psychology. Regarding emotional dynamics, some works within mathematical psychology provide support for the usefulness of using agent-based modeling in such contexts [53]. For example, coherence in self-evaluation has been modelled as a cellular automaton [67], in which memories are represented by cells and the attitude of an individual to certain memory evolves depending on its relationship to other memories, leading to the emergence of self-esteem. Concepts of dynamical systems can also be applied to model emotions, for example explaining fight or flee reactions as bifurcations [50] in which the emotional state of an organism can sharply change depending on a control parameter. Furthermore, the principle of Brownian agents [54] has been proved useful to analyze the temporal evolution of core affect [33], modeling changes in emotions as equations with a deterministic and a stochastic component. In addition, agent-based models of emotions are also used in the context of momentary subjective well-being [49] and in cue-reward learning [74]. While these models explore and validate aspects of individual emotions, agent-based models of emotions under social interaction are still to be empirically analyzed. Our focus on the social aspects of emotions is aimed at the design of models with potential to explain and reproduce collective emotions.

Agent-based models can be very useful to predict future user behavior, or to design mechanisms that optimize certain aspects of the community. But this cannot be achieved if the microdynamics that drive agent actions are not validated beyond computer simulations or analytic results. It is relatively simple to design a model that, based on ad hoc assumptions, reproduces any observed macroscopic behavior. As part of an interdisciplinary collaboration to understand the dynamics of collective emotions in online communities [1], the Cyberemotions modeling framework [55] was designed to provide generative mechanisms of online collective emotions, explicitly avoiding the pitfall of using ad hoc assumptions and implausible dynamics. This framework allows the creation of models of user emotions under different kinds of online interaction, linking collective behavior with individual dynamics in the presence of online interaction mechanisms. The dynamics of

emotions of agents in the Cyberemotions framework are phrased within the psychological theory of core affect [46], which provides a unified representation of the kind of emotions we refer to. While collective behavior can be analyzed through observational studies of large scale datasets of online interaction, the individual dynamics must be empirically tested in experimental studies.

The Cyberemotions modelling framework has been shown useful to understand the conditions that lead to collective emotions in product reviews [18] and chats [16]. Following the concept of agent-based theory building in social psychology [59], we phrase the agent dynamics that reproduce online collective emotions [55] as testable hypotheses. In this article, we formulate and test those hypotheses against data collected in experiments on emotion dynamics. We report the results of three independent studies that allow us to quantify emotional changes while reading and writing posts in online fora. We measure the functional dependencies between online content and changes in emotional states, to compose a computational model that can simulate the dynamics of emotions under online interaction.

2 Emotional agents model

In the Cyberemotions modeling framework [55], the emotional state of an agent is composed of two variables: valence $v_i(t)$, quantifying the degree of pleasure associated with an emotion, and arousal $a_i(t)$, representing the degree of activity associated with the emotion. Agents have an expression variable $s_i(t)$ that quantifies their displayed emotions through online posts, which are aggregated with the expression of other agents in the online field of interaction h. The first assumption of our model is the existence of internal *eigendynamics* that make emotions relax to an equilibrium state. Secondly, the changes in emotions due to social interaction, or *perception dynamics*, are defined as functions that take as input the values of valence and arousal and the interaction field h. Thirdly, the expression of an agent through $s_i(t)$ is assumed to be triggered by *expression rules* that determine the value of $s_i(t)$ based on the emotional state of the agent, leading to a *feedback of expression* that changes in the emotional state of the agent after expression. The field variable h takes positive values when online discussions are positively charged, negative when discussions are negatively charged, and 0 when no clear emotionality is present in online interaction.

Figure 1 depicts the main variables of the framework and their influences.

We model the dynamics of emotions as a linear combination with a stochastic component, following the principle of Brownian Agents [54]:

$$\begin{aligned} \frac{\delta v_i(t)}{\delta t} &= -\gamma_{vi}\,(v_i(t) - b) + \mathcal{F}_v(h, v_i(t)) + A_{vi}\,\xi_v(t) \\ \frac{\delta a_i(t)}{\delta t} &= -\gamma_{ai}\,(a_i(t) - d) + \mathcal{F}_a(h, a_i(t)) + A_{ai}\,\xi_a(t) \end{aligned} \quad (1)$$



Figure 1: Schema of the agent-based model of emotion dynamics [55, 18]. The internal state of an agent is composed of valence v and arousal a, and the communication through the online medium is quantified by the field h. Valence and arousal change according to a combination of internal *eigendynamics* and *perception dynamics*, the latter depending on the field h. Expression s is triggered by *production rules* depending on the emotional state of the agent. Expression changes the field and leads to a *feedback of expression* that regulates the emotions of the agent.

The set of equations (1) have three terms in the right-hand side: a exponential relaxation towards $[b, d]$ as a decay with parameters γ_{vi} and γ_{ai}; a stochastic component of amplitudes A_{vi} and A_{ai} with random numbers $\xi_v(t)$, $\xi_a(t)$ drawn from a given distribution of white noise; and a component of external influences described by the functions $\mathcal{F}_v$, $\mathcal{F}_a$. These two functions formalize how the perception of online content in the field h changes valence and arousal, where valence depends on the sign of h and arousal depends on the absolute value of h. This way, the arousal dynamics respond to the overall presence of emotional content in the field, while valence depends on the polarity of the online interaction. The functions $\mathcal{F}_v$, $\mathcal{F}_a$ are defined as:

$$\begin{aligned}\mathcal{F}_v(h, v_i(t)) &= h \times \left(\sum_{k=0}^{3} b_k v_i(t)^k\right) = h * \left(b_0 + b_1 v_i(t) + b_2 v_i(t)^2 + b_3 v_i(t)^3\right) \\ \mathcal{F}_a(h, a_i(t)) &= |h| \times \left(\sum_{k=0}^{3} d_k a_i(t)^k\right) = |h| * \left(d_0 + d_1 a_i(t) + d_2 a_i(t)^2 + d_3 a_i(t)^3\right)\end{aligned} \tag{2}$$

where b_j and d_j are parameters that define the changes in valence and arousal induced by different values of h. $\mathcal{F}_v$ depends on h, while $\mathcal{F}_a$ does on the absolute value $|h|$, modeling the excitability of arousal with emotional content independently of its polarity. The dynamics of the field h can be quantified through aggregates of the emotions in the messages of a discussion [16, 18], and are influenced by the emotional content of the expression of the agents, $s_i(t)$. This expression depends on the emotional state of the agent, following *expression rules* and being triggered by

states of high arousal. When produced, the expressed text carries a polarity that depends on the valence of the agent. We formalize this through the equation:

$$s_i(t) = f_s(v_i(t))\,\Theta[a_i(t) - \tau_i] \tag{3}$$

where the expression of the agent has a value that is a function $f_s(v_i(t))$ of its valence. The expression $s_i(t)$ is activated if the arousal reaches a threshold value τ_i, which is captured by the Heaviside step function $\Theta[x]$. The *feedback of expression* produces an instant decrease in the arousal of the agent as an additional relaxation after writing a message.

In the following, we present an analysis of empirical data that explores emotion eigendynamics, perception dynamics, and rules and feedback of emotional expression through posts. Our results are based on a set of experiments that monitor the emotional states of their participants in different ways. We present data from three experiments in which participants were exposed to online emotional content, including reading about emotional experiences and writing about highly emotional topics themselves. These experiments, explained more in detail in the Methods section, were designed to test the dynamics of online emotional interaction, and to provide data in the form of subjective assessment of emotions. We investigate emotion dynamics within our agent-based framework, estimating the values of the parameters that drive individual emotions. Due to the limited size of experimental data, we restrict our analysis to general emotion dynamics, ignoring individual differences. In the following, we drop the subindex i of our dynamics, leaving the analysis of the differences emotion dynamics across individuals for future research.

3 Methods

3.1 Experiment design

- **Study 1.** In the first experiment, 91 students from Jacobs University (54 female; mean age = 20.58; *SD* = 2.34) read 20 threads selected from various public online discussion forums such as BBC message boards for news and religion, as well as forums addressing more personal topics (e.g., lovingyou.com, femalesneakerfiend.com, loveshack.org) to cover a wide range of emotional topics ranging from contentious political discussions to questions about relationships, love, and heart-ache. All threads were drawn from a larger sample, and pre-categorized by 3 psychologists to contain text expressing emotions with certain polarity (9 negative, 9 positive, 2 neutral). Stimulus valence (positive, neutral, negative) was varied as a within-subjects factor. The experiment was conducted online using Questback EFS survey (www.unipark.de), where the participants read the threads in randomized sequence, one post per page, at home on their own computers. Participants received a link to the experiment, were provided with a description of the study, and generated an anonymous

code to receive their compensation with course credit or 6 Euro. SI Figure 1 shows an example of a post as seen by the participants that was preselected as part of a negative thread taken from a real BBC forum discussion.

After reading the posts of a thread, participants provided subjective reports of their emotions on three 7-point Likert scales to assess the subjective emotional response. With view towards the requirements of the repeated measurement situation (10 threads), we aimed to obtain sufficiently reliable measures while the relatively weak and fleeting emotional states that can be elicited by forum posts could still be expected to be present. For this purpose, e.g., even the two relatively short 10-item scales of the Positive and Negative Affect Schedule (PANAS, Watson1988) would have been too long and not sufficiently focused on the immediate emotional response to an individual emotional stimulus such as a forum thread. Instead, our measurement situation was much more comparable to experimental designs assessing emotional responses to emotional images, sounds, or words in the laboratory [35, 37]. These types of designs typically measure valence, arousal, and sometimes dominance (power) via single-item graphical scales such as the Self-Assessment Manikin (SAM) [7]. Single-item Likert-type measures, if well phrased and designed, are not necessarily worse than multiple-item scales [19]. For example the SAM has been the basis for the validation of the extremely well cited International Affective Picture System (IAPS) [34]. However, the graphical version of the SAM requires some additional instructions and explanations that are, ideally, delivered by an experimenter who can respond to questions. In addition, valence has recently been increasingly discussed as a potentially two-dimensional construct allowing co-activation of both positive and negative feeling states, such as in the case of bittersweet mixed emotions [36].

We assessed valence via two separate Likert scales, as well as arousal via a third scale comparable to the phrasing of the SAM. However, no systematic evidence for mixed-valence emotions was observed. Cronbach's α=.88 across all positive and the inverse of all negative valence judgments suggested sufficient overlap between both items to justify integration of both scales into a single measure by subtracting the value of negative affect from the value of positive affect and mapping the result to the scale of $[-1, 1]$. The third Likert scale measured the degree of excitation experienced by the participant, which we likewise rescaled into our measurement of arousal in the scale $[-1, 1]$. Finally, to obtain additional data beyond the strictly emotional response, participants answered a short set of 4 appraisal-related questions in response to each thread (perceived interest, relevance, wish to continue, wish to participate). We rescaled these answers to scales of $[0, 1]$, measuring in particular the probability of participation. The subjective assessments of emotions of this study are useful to study *eigendynamics* and *perception dynamics*, and the answers to the questionnaires provide data on how users decide when to create posts, following *expression rules*.

- **Study 2.** This experiment was an equivalent of study 1 in a controlled experimental setup. To further improve the validity of the scales in comparison to the online assessment, and to reduce unwanted anchoring and sequence effects that might occur when items are presented on-block in a numbered grid, each scale was presented individually on the screen with input provided via a 7-button response-pad without numbered keys (Cedrus RB-730). The 7 threads used for this experiment are a subset of those for study 1 (3 positive, 3 negative, 1 neutral). Again, the emotional responses were assessed using 2 items for valence (1: "not at all positive" to "very positive"; 2: "not at all negative" to "very negative") and 1 item for arousal ("very calm" to "very excited"), however this time using the standardized response pad in a laboratory situation instead of the keyboard at home. Study 2 added data on 53 participants (21 female; mean age = 21.91; SD = 3.74), which in combination with Study 1, resulted in two independent experiments which studied eigendynamics, perception dynamics, and expression rules. All participants were compensated with 6 Euro for this study.
- **Study 3.** In this laboratory experiment, 65 participants (30 female; mean age = 20.4; SD = 1.9) were asked to write contributions to positive and negative emotional topics either in the form of replies or as initiators of new forum threads. Topics were presented and responses were collected using Medialab (Empirisoft). In a within-subjects design, all participants were instructed to respond to a selection of 5 short positive forum posts, a selection of 5 negative posts, and to initiate 1 positive topic as well as 1 negative topic. This procedure resulted in the production of 4 forum posts per participant. When asked to respond to a forum post, the ability to choose from among a selection of pretested topics aimed to increase personal relevance of the chosen topic's content, and thus the emotional significance, while making it easy for participants to respond. When asked to initiate a new topic with a first post of their own, participants received direct on-screen instructions to write about a positive vs. negative topic that they liked vs. disliked, felt good vs. bad about, and that they would be willing to share with others. Thus, while participants knew that their input to both types of forum discussions would not be posted online, they were asked to "imagine that the text you write will be posted to an online forum, a newsgroup, or an open chat". We expected that some participants might find it easier to be asked to respond to a topic of their choice while others might have a greater preference for a more open discussion topic that they could define on their own, and this design aimed to facilitate the generation of overall sufficiently long responses from all subjects. Nevertheless, participants were free to write as much or as little as they liked. The participants provided subjective assessments of their emotions before and after writing the posts, which we will use to study the *feedback of expression* into emotions.

Conforming with standard ethical guidelines, participation in all three of the above studies was

entirely voluntary, and participants were informed that they could quit participating in the study at any point in time without any negative consequences. Participants provided informed consent at the beginning of a study, and all participants were fully debriefed at the end of each of the studies in this research. Furthermore, to avoid any negative impact on participant's emotional well-being during or after taking part in the study, the study design provided a balancing positive emotional stimulus for each negative stimulus that was presented, thus preventing any buildup of negative emotional states. In the laboratory studies, participants were furthermore given the opportunity to ask questions to the experimenter who ensured that there were no potentially lingering negative effects of the negative forum threads at the end of the study.

3.2 Regression models of perception dynamics

Using an event timescale, we aggregate the data in a set of changes per time unit $\Delta v(t)/\Delta t$ and $\Delta a(t)/\Delta t$, or valence and arousal "velocity". We then analyze their dependence on the instant value before reading the thread $v(t)$, $a(t)$, and the emotional charge of the thread (h). Instead of fitting the solution of the equations of emotion dynamics of equation 1 to the data, we used a regression model to estimate the changes in the variables as a combination of a linear and a stochastic component. This has the advantage that we do not need an explicit solution of equations 1, allowing us to test nonlinear relationships like the ones shown in equation 2.

Our experimental design defines three cases of h, corresponding to the fields generated by positive ($h = +1$), negative ($h = -1$) and neutral ($h = 0$) threads. We reformulate the continuous dynamics of equations 1 and 2 as discrete changes due to a combination of a relaxation force and an stimulus-dependent influence for valence:

$$\frac{\Delta v(t)}{\Delta t} = -\gamma_v \left(v(t) - b\right) + h * \left(b_0 + b_1 v(t) + b_2 v(t)^2 + b_3 v(t)^3\right) + A_v \epsilon \tag{4}$$

and the dynamics of arousal as dependent on the absolute value of h:

$$\frac{\Delta a(t)}{\Delta t} = -\gamma_a \left(a(t) - d\right) + |h| * \left(d_0 + d_1 a(t) + d_2 a(t)^2 + d_3 a(t)^3\right) + A_a \epsilon \tag{5}$$

First, to test the relevance of each term of the equations and avoid overfitting, we search for the best parameter subset through a maximum likelihood procedure [70] that minimizes the Akaike Information Criterion [3]. Second, we fit the most informative parameter subset of equations 4 and 5 through the non-linear least squares method [6] (more details in SI). Third, we compute an empirical estimator $\widehat{p}$ for each relevant parameter, finding the posterior distribution of $\widehat{p}$ in a Bayesian model with normally distributed priors [20] and 10.000 simulated samples.

3.3 Sentiment analysis

To test how emotions are encoded in text through function f_s, we apply two sentiment analysis tools to the 182 posts produced in Study 3. First, we apply SentiStrength [64] a state of the art sentiment tool that quantifies positive and negative content independently. SentiStrength is among the best performing sentiment analysis tools in benchmark tests of social media posts and comments [21], and has been use to study blog posts [10], chatroom messages [16], YouTube comments [17] and microblog posts [63]. SentiStrength provides two scales of positive, from 1 to 5, and negative sentiment, from -1 to -5. We classify a post as positive if its positive score is 3 or higher, and negative if its negative score is -3 or lower, following the methods of previous research [64, 63, 17].

The second tool we apply is QDAP (Quantitative Discourse Analysis Package) [43], using the Opinion mining lexicon [26]. QDAP matches words against the lexicon and estimates a range of polarity between -1 and 1 for each sentence in the post. We classify a post as negative if the minimum value of polarity among the sentences in the post is below -0.25, and positive if the maximum value among sentences is above 0.25. Note that, in line with SentiStrength, this method can detect simultaneous positive and negative content in a post.

4 Results

4.1 Eigendynamics and perception dynamics

In experiments 1 and 2, the order of the threads read by the participants was randomly determined, keeping the post ordering inside the thread but randomizing when each thread is presented. Participants were asked to provide their emotional reports between threads in order to obtain as accurate measures as possible without interfering with the task [45]. This sequence of tasks allows us to reconstruct the changes induced in valence and arousal after reading threads with different emotional content, in order to know how online discussions expressed in the stimuli influence the emotional state of a user. These influences compose the *perception dynamics* of online emotional interaction, and coexist with an *eigendynamics* that are independent of the perceived content.

We formulate regression models (explained in the Methods section) to test the dynamics expressed in equations 1 and 2. Using a maximum likelihood criterion, we find the most informative parameter subsets that explain the empirical changes in emotions, and compute the posterior distribution of each parameter in a Bayesian model with normally distributed priors [20].

4.1.1 Valence dynamics

For the case of $v(t)$ the maximum likelihood procedure detects that the equation of valence has significant terms up to the third order, with the exception of b_1, which can be considered as 0 (details in SI). The results of the nonlinear regression are shown in Table 1. The eigendynamics captured by γ_v and b describe a fast relaxation process towards a small valence baseline (0.056), in which valence decreases by more than 30% per minute. This can be observed in the valence change function for neutral threads in Figure 2 A, which takes the form of a negative slope that crosses the horizontal axis close to $v = 0$.

The strongest effect of h in the valence is through b_0, which shifts the valence by a constant factor of 0.14 on the direction of the emotional charge of the thread. The nonlinear terms b_2 and b_3 are significant but small in magnitude, showing corrections only close to the limits of strong positive and negative valence.

parameter	γ_v	b	b_0	b_2	b_3	R^2	N	$R^2(\xi_v)$
estimate	0.367^{***}	0.056^{**}	0.14^{***}	0.057^{*}	-0.047^{**}	0.52	1271	0.85

Table 1: Parameter estimations of equation 4, R^2 value of nonlinear least squares, and $R^2(\xi_v)$ of a normal fit to the residuals of the regression. $^{*}p < 0.01$, $^{**}p < 0.001$,$^{***}p < 10^{-10}$

The posterior distribution of each parameter estimate is shown Figure 2 B, showing the location and uncertainty of each parameter estimate given the empirical data. These results lend strong evidence for our hypotheses drawn from the Cyberemotions modeling framework. All parameters can be considered different from 0, and their effect sizes reveal the existence of relaxation eigendynamics and a linear influence of h with nonlinear corrections. To further test the robustness of this result, we evaluated the interaction of the experimental setup in our statistical analysis (see SI). We find no significant effect in any estimator with the exception of γ_v, which differed on a total of 0.06 across experiments, less than 20% of its point estimate. In addition, the regression results suggest an important level of predictability of the valence, with an R^2 value above 0.5. The assumption that error terms are normally distributed is not far from reality, as a normal fit to the residuals through the method of moments gives $R^2(\xi_v) = 0.85$ and a Shapiro-Wilk statistic of 0.8762.

4.1.2 Arousal dynamics

For the case of arousal, the maximum likelihood method reveals that the nonlinear terms d_2 and d_3 are not significant. The resulting model is summarized in Table 2, where the arousal eigendynamics show a strong relaxation toward a negative arousal baseline of $d = -0.442$ at a rate of decrease above 40% per minute. This can be observed on Figure 2 C, in which the function



Figure 2: Mean change in valence (A) and arousal (C) per time unit while reading threads versus the previous reported value. Error bars show standard error, dashed lines show the changes predicted by the model. B,D) Posterior density function of relevant parameters in valence (B) and arousal (D) dynamics over 10.000 simulations, binned with Sturges' formula [61].

of arousal changes for neutral threads crosses the horizontal axis at a negative arousal value. The other two parameters of arousal dynamics, d_0 and d_1, show that online content has a positive effect on arousal regardless of the polarity of its emotional charge, and that the attraction speeds up with a factor close to 0.15.

The posterior distribution of each arousal parameter is shown on Figure 2 D. As hypothesized in the Cyberemotions framework, a relaxation component toward negative arousal coexists with a force that increases arousal regardless of the sign of h, as captured by d_0 and d_1. The R^2 value

parameter	γ_a	d	d_0	d_1	R^2	N	$R^2(\xi_a)$
estimate	0.414^{***}	-0.442^{***}	0.178^{***}	0.14469^{**}	0.28	1271	0.78

Table 2: Parameter estimations of equation 5, R^2 value of nonlinear least squares, and $R^2(\xi_v)$ of a normal fit to the residuals of the regression. $^{*}p < 0.01$, $^{**}p < 0.001$,$^{***}p < 10^{-10}$

of the arousal model is lower than for the case of valence, and the quality of the assumption of normal error is also lower. This suggests the existence of additional terms beyond those included in equation 2. We tested if we should include a linear dependence on h in addition to its absolute value on an extended model. We found negligible linear effects of h (more details in SI), supporting the assumption that arousal depends on h but not on its sign. Furthermore, we tested the effect of the experimental setup as we did with the valence dynamics, finding that all parameters remain significant when controlling for the experimental conditions. The control parameters for the experimental setup were not significant for any parameter but d_0, which showed an attenuated effect in Study 2, yet remained significant and sizable (more details in SI).

4.1.3 Simulating perception and eigendynamics

One of the advantages of an agent-based computational approach is that allows us to implement computational equivalents to compare empirical and simulation results. Not only can we provide a quantitative explanation for the observed data, but we can reproduce its behavior in simulations, or even apply it in the field of affective computing [40]. We simulated emotional agents using the parameter estimations of Table 1 and Table 2, computing their changes in valence and arousal when exposed to values of h corresponding to the emotional charge of threads. Figure 3 shows an example of a simulation of the model versus the sequence of responses and emotional charges of threads for a participant of Study 2. This illustrates the dynamics of an individual, rather than analyzing the average response as shown in the regression results of Table 2. The simulated and empirical data are similar, in particular with respect to the sign of movements of valence and arousal after each thread type. This kind of computational model serves as a building block to estimate, predict, and reproduce emotional dynamics under online interaction.

4.2 Expression dynamics

4.2.1 Production rules

In Studies 1 and 2, participants were asked about their intention to participate in a given discussion. One of the assumptions of the Cyberemotions framework is that arousal is the driving force behind user participation in online discussions. This assumption is formulated in equation



Figure 3: Data-driven simulation of perception dynamics in an experiment. The top panel shows valence, the middle arousal, and the bottom shows the emotional charge of the thread. Black lines show the empirical data of a participant of Study 2, green lines show the results of a simulated agent starting from the same emotional state.

3, as a threshold function depending on arousal. We test this assumption through a hypothesis of a linear relation between participation tendency and experienced arousal, which starts from a given point of arousal:

$$p(t) = p_0 + \alpha * a(t) * \Theta[a(t) - \tau] \tag{6}$$

We fit the above equation through the method of Multivariate Adaptive Regression Splines (MARS) [15], finding the best fitting values for p_0, α, and τ. Table 3 shows the result of the fit, and the left panel of Figure 4 shows the relation for both studies. The intention to participate is heavily influenced by arousal when it is above 0. Below that level, participants had a ground tendency close to 0.2, but for positive arousal the participation tendency grew with a significant trend above 0.4 (see SI for more details). This pattern is similar in both studies, with growing participation for arousal above 0. The differences between experiments is not relevant in the parameter estimates as formulated in equation 6, and only some deviation could be found for

very high arousals when introducing an additional breakpoint (see SI). We also tested a possible relation of participation tendency with valence, finding a weaker relation with a small increase for very positive valence, as explained in the SI.

parameter	p_0	α	τ	R^2
estimate	0.199	0.438	0	0.14

Table 3: Parameter estimations of equation 6 and R^2



Figure 4: Left: Mean reported participation intention given experience arousal in Studies 1 and 2. Right: Change in arousal when producing first posts and comments in Study 3. Error bars show standard error. Dashed lines show MARS fits on the left, and linear regression results on the right.

4.2.2 Expression function

The interactive setup of Study 3 allows us to test the dependence between online expression through text and subjective emotions, formalized in equation 3. Our hypothesis is that the emotional content measured through text, s_i, is a function $f_s(v_i(t))$ increasing with valence but not with arousal. We test this hypothesis by applying two state of the art sentiment analysis techniques to the text produced by participants in Study 3, quantifying whether a text contains positive and/or negative content simultaneously (more details in Methods). This way, for each post p we count with two variables pos_p and neg_p that take the value 1 if the text contains positive and negative content respectively, and 0 otherwise. On the side of subjective reports of

emotions, we count with the subjective valence and arousal reported after writing the post, v_p and a_p.



Figure 5: Results of logistic regression of post positive and negative content measured with SentiStrength as a function of valence and arousal. Error bars show standard errors of the estimate of the probability of being positive or negative.

We test the relation between the content of posts and the subjective experience of participants through logistic regression models [11], formulated as $logit(P(pos)) = p_0 + \alpha_v * v$ and $logit(P(pos)) = p_0 + \alpha_a * a$ for positive content and similarly for negative content. Figure 5 shows the result of the models for positive and negative content in the post as estimated with SentiStrength. We find a significant influence of valence on the probability that a post is positive and negative, as reported in detail in Table 4. In addition, we do not find statistical evidence of the role of arousal, in line with our assumption of f_s as a function of the valence only. These results are robust when using an alternative sentiment analysis technique (see SI).

model	p_0	α_v	α_a	Log Likelihood	Deviance	N
pos	$\mathbf{-0.4203}^*$	$\mathbf{0.9462}^{**}$		-120.3680	240.7359	182
neg	0.2194	$\mathbf{-0.9777}^{**}$		-120.2017	240.4034	182
pos	−0.1110		−0.0865	-125.1264	250.2527	182
neg	−0.2990		0.2743	-125.5221	251.0442	182

Table 4: Logistic regression results for positive and negative post content as a function of reported valence and arousal $^*p < 0.01$, $^{**}p < 0.001$,$^{***}p < 10^{-3}$

4.2.3 Feedback of expression

The experimental setup of Study 3 focused on the production of posts, with subjective assessment of emotions before and after writing the post. In a similar way as we did for the changes after reading a thread, we calculated the feedback of expression in the emotional state of an individual after writing a post. In the Cyberemotions framework, we hypothesized a reset to $a = 0$ after a user posted a message, as an implicit regulation mechanism after emotional expression ("auto regulation" [27, 28]). The change in arousal depending on previous arousal for first posts and replies is shown on the right panel of Figure 4. For both types of production, negative arousals tend to increase and positive arousals to decrease toward a neutral value. We validated this observation through a linear regression, and found no significant difference between writing a first post or a reply (see SI). In addition, a similar effect was present in valence, but only for the case of replies. Negative valence experienced an increase after replying in a conversation, as explained more in detail in the SI.

The changes in arousal after participation do not show a reset to a value of zero after writing a post, which was the initial assumption in the Cyberemotions framework. On the contrary, humans seem to experience a decrease on their arousal that does not necessarily reset it to the neutral value, which still leaves room for further activity even in the absence of interaction. This difference in posting dynamics should be taken into account in future models within our framework, but the causality between participation and arousal is supported by these results. When an Internet user perceives emotional content, her arousal increases, leading to higher chances of participating in the discussion. This participation induces an instant decrease in arousal, which, in combination with the internal relaxation of the arousal, would decrease the probability of further participation. If other users create more emotional content (of any valence sign), the arousal of the agent would increase again, leading to the coupling of user behavior that explains collective behavior in online communities.

5 Discussion

The work presented here shows how online communication influences the emotions of an Internet user, and how these emotions change over time. Our work aimed at testing the assumptions of the Cyberemotions agent-based modeling framework. Analyzing subjective assessments of emotions, we found strong support for the presence of an exponential relaxation towards a ground state. In terms of emotional content in online discussions, we found that valence changes according to the polarity of threads, and that threads with emotional content lead to higher arousal than threads with neutral content. The agents in our framework express their emotions when their arousal reaches a particular threshold. We verify this by inspecting the dependence between reported

arousal and the intention to participate in a conversation, which reveals that such participation tendency increases linearly when the arousal is beyond a threshold value. Another assumption of our modeling framework was the effect of writing a post on arousal, which we hypothesized as an instant decrease of arousal. Our empirical results indicate the existence of a decrease after replying to posts in an online discussion, when participants were in high arousal states before interaction.

In general, our results are consistent across experimental conditions in studies 1 and 2, but some discrepancies are present for arousal. For example, it is likely that the unfamiliar laboratory situation in study 2 as such may have elevated the average arousal level of participants. This would be consistent with notions of prior psychological research on the possibility of misattribution and transfer of arousal from another source of activation which may occur under certain conditions [78, 12]. In study 2, participants were more likely to feel more observed as well as more engaged in the task than in study 1, which they completed at home. Intentional regulation attempts may have been facilitated by the more public social context of study 2, as well as high levels of excitation in response to some of the threads [27]. The present research required very brief measures to avoid subject fatigue and dissipation of the emotional impact of having read the short threads, which limited the number of items that could be posed repeatedly. Compared to single-item Likert-scales, a two-dimensional single-item measure such as the Affect Grid [48] could have been even briefer, once sufficiently explained. However, this type of measure still faces conceptual issues [22], and specifically the good validity of the Affect Grid reported by the original authors [48] has been found to be only moderate by subsequent research [30].

In psychology, there is increasing awareness of the social nature of emotional-contagion processes [69], as well as a clear interest in the psychological consequences of the social sharing of emotions [13, 39]. However, large-scale research on emotions in cyberspace is still a very recent development [29], and our work is the first one to show an integration of modeling with research in the laboratory. At the same time, there is an increasing sensitivity within the psychology about the use of data from large social networks such as Facebook, concerning established principles of informed consent and the opportunity to opt out of participation in any kind of experiment. For example, a recent article [31] has led to a statement of editorial concern regarding these aspects of personal privacy, and the young field of large-scale analysis online emotions is likely to be faced with continued questions in this regard. In contrast, in the present paper we have gone a different route to test assumptions of large scale modeling of collective emotions by means of taking some of the central processes into the laboratory. As a result we have revealed much stronger and salient effects than the previously reported linguistic cues [31], showing that emotional interaction online goes well beyond subtle contagion processes.

From a psychological perspective, our findings are generally consistent with the assumptions of the Cyberemotions framework. The relation between participation and arousal above a threshold

is of particular importance. This links our present results to some classic findings in experimental psychology, in particular with respect to the role of excitation on subsequent emotional behavior [8, 12, 65, 78]. Thus, while the concept of a carry over of arousal is not new to psychology, computational modeling of these types of behaviors promise a more direct means of testing the precise dynamics involved in these processes. In addition, a computational model supports the transfer and application of our findings to large scale phenomena on the Internet involving collective emotions. For example, at present, our data suggest that interventions aimed at a change of arousal might a be promising approach to the calming the nerves in a heated online discussion, in comparison to valence-based interventions that primarily aim at the polarity of an ongoing discussion. Enhancing user interaction to create collective emotions is also relevant for the design of automatic dialog systems [40] and virtual human platforms [2].

The dynamics of emotional states during online interaction show that arousal is driven towards negative values for non-emotional threads, which we did not take into account in the initial models of our framework. In addition, we found that replying to a post creates a valence increase for users that have a negative valence before interaction, as a beneficial result of the participation in an online discussion. Furthermore, our assumption of the decrease in arousal after expression is hereby extended, as we find that such a decrease does not reset the arousal to 0, but lowers it by some proportional amount. Further experiments shall focus on how simultaneous positive and negative emotional content influences the emotions of the readers of a thread. Further work should study how subjective emotions are encoded in expressions, which is included in our model through the function $f_s(v_i)$. Testing the way emotions are encoded in a text heavily depends on the sentiment analysis tool used to process the posts, for which particular experimental designs are necessary. While still some of these hypotheses remain untested, the results reported here allow the design of better agent-based models of emotions and contribute to a better understanding of the emergence of collective emotional states on the Internet.

References

[1] Junghyun Ahn, Anna Borowiec, Kevan Buckley, Di Cai, Anna Chmiel, Agnieszka Czaplicka, Grzegorz Dabrowski, Antonios Garas, David Garcia, Stephane Gobron, Robert Hillmann, Janusz Holyst, Arvid Kappas, Dennis Küster, Marija Mitrovic, Georgios Paltoglou, Hannes Pirker, Stefan Rank, Frank Schweitzer, Julian Sienkiewicz, Marcin Skowron, Pawel Sobkowicz, Daniel Thalmann, Mike Thelwall, Mathias Theunis, Matthias Trier, Elena Tsankova, and Pawel Weronski. {CYBEREMOTIONS} – collective emotions in cyberspace. *Procedia Computer Science*, 7:221 – 222, 2011.

[2] Junghyun Ahn, Stephane Gobron, David Garcia, Quentin Silvestre, Daniel Thalmann, and Ronan Bulic. An NVC Emotional Model for Conversational Virtual Humans in a 3D Chat-

ting Environment. In *Proceedings of the VII Conference on Articulated Motion and Deformable Objects AMDO 2012*, pages 47–57, Mallorca, Spain, 2012. Springer.

[3] Hirotugu Akaike. Likelihood of a model and information criteria. *Journal of econometrics*, 16(1):3–14, 1981.

[4] Raquel Alvarez, David Garcia, Yamir Moreno, and Frank Schweitzer. Sentiment cascades in the 15m movement. *EPJ Data Science*, 4(1):1–13, 2015.

[5] Philip Ball. Social science goes virtual. *Nature*, 448(7154):647–648, 2007.

[6] Douglas M Bates and Donald G Watts. *Nonlinear regression: iterative estimation and linear approximations*. Wiley Online Library, 1988.

[7] Margaret M Bradley and Peter J Lang. Measuring emotion: the self-assessment manikin and the semantic differential. *Journal of behavior therapy and experimental psychiatry*, 25(1):49–59, 1994.

[8] Joanne R Cantor, Jennings Bryant, and Dolf Zillmann. Enhancement of humor appreciation by transferred excitation. *Journal of Personality and Social Psychology*, 30(6):812, 1974.

[9] Christy MK Cheung, Pui-Yee Chiu, and Matthew KO Lee. Online social networks: why do students use facebook? *Computers in Human Behavior*, 27(4):1337–1343, 2011.

[10] Anna Chmiel, Julian Sienkiewicz, Mike Thelwall, Georgios Paltoglou, Kevan Buckley, Arvid Kappas, and Janusz A Hołyst. Collective Emotions Online and Their Influence on Community Life. *PLoS ONE*, 6(7):e22207, 2011.

[11] Michael J Crawley. *Statistics: an introduction using R*. John Wiley & Sons, 2014.

[12] R Glenn Cummins, Wesley T Wise, and Brandon H Nutting. Excitation transfer effects between semantically related and temporally adjacent stimuli. *Media Psychology*, 15(4):420–442, 2012.

[13] Antonietta Curci and Bernard Rimé. The temporal evolution of social sharing of emotions and its consequences on emotional recovery: A longitudinal study. *Emotion*, 12(6):1404, 2012.

[14] Maeve Duggan and Aaron Smith. Social media update 2013. *Pew Internet and American Life Project*, 2013.

[15] Jerome H Friedman. Multivariate adaptive regression splines. *The annals of statistics*, pages 1–67, 1991.

[16] Antonios Garas, David Garcia, Marcin Skowron, and Frank Schweitzer. Emotional persistence in online chatting communities. *Scientific Reports*, 2:402, 2012.

[17] David Garcia, Fernando Mendez, Uwe Serdült, and Frank Schweitzer. Political polarization and popularity in online participatory media: an integrated approach. In *Proceedings of the first edition workshop on Politics, elections and data*, pages 3–10, 2012.

[18] David Garcia and Frank Schweitzer. Emotions in Product Reviews – Empirics and Models. In *SocialCom*, pages 483–488, 2011.

[19] Donald G Gardner, Larry L Cummings, Randall B Dunham, and Jon L Pierce. Single-item versus multiple-item measurement scales: An empirical comparison. *Educational and Psychological Measurement*, 58(6):898–915, 1998.

[20] Andrew Gelman, Aleks Jakulin, Maria Grazia Pittau, and Yu-Sung Su. A weakly informative default prior distribution for logistic and other regression models. *The Annals of Applied Statistics*, pages 1360–1383, 2008.

[21] Pollyanna Gonçalves, Matheus Araújo, Fabrício Benevenuto, and Meeyoung Cha. Comparing and combining sentiment analysis methods. In *ACM Conference on Online Social Networks*, pages 27–38, 2013.

[22] Elizabeth K Gray and David Watson. Assessing positive and negative affect via self-report. *Handbook of emotion elicitation and assessment*, pages 171–183, 2007.

[23] Rosanna E Guadagno, Daniel M Rempala, Shannon Murphy, and Bradley M Okdie. What makes a video go viral? an analysis of emotional contagion and internet memes. *Computers in Human Behavior*, 29(6):2312–2319, 2013.

[24] Elaine Hatfield and John T Cacioppo. *Emotional contagion*. Cambridge university press, 1994.

[25] Ursula Hess and Agneta Fischer. Emotional mimicry as social regulation. *Personality and Social Psychology Review*, 17(2):142–157, 2013.

[26] Minqing Hu and Bing Liu. Mining opinion features in customer reviews. In *AAAI National conference on Artifical intelligence*, volume 4, pages 755–760, 2004.

[27] Arvid Kappas. Emotion and Regulation are One! *Emotion Review*, 3(1):17–25, January 2011.

[28] Arvid Kappas. Social regulation of emotion: messy layers. *Frontiers in psychology*, 4, 2013.

[29] Arvid Kappas. The psychology of Cyber(Emotions). In Janusz Holyst, editor, *Cyberemotions (In press)*. Springer, 2016.

[30] William D Scott Killgore. The affect grid: a moderately valid, nonspecific measure of pleasure and arousal. *Psychological reports*, 83(2):639–642, 1998.

[31] Adam DI Kramer, Jamie E Guillory, and Jeffrey T Hancock. Experimental evidence of massive-scale emotional contagion through social networks. *Proceedings of the National Academy of Sciences*, page 201320040, 2014.

[32] Dennis Kuester and Arvid Kappas. Measuring emotions in individuals and internet communities. *Internet and Emotions*, 2013.

[33] Peter Kuppens, Zita Oravecz, and Francis Tuerlinckx. Feelings change: Accounting for individual differences in the temporal dynamics of affect. *Journal of personality and social psychology*, 99(6):1042–60, 2010.

[34] Peter J Lang, Margaret M Bradley, and Bruce N Cuthbert. International affective picture system (iaps): Affective ratings of pictures and instruction manual. *Technical report A-8*, 2008.

[35] Peter J Lang, Mark K Greenwald, Margaret M Bradley, and Alfons O Hamm. Looking at pictures: Affective, facial, visceral, and behavioral reactions. *Psychophysiology*, 30:261–261, 1993.

[36] Jeff T Larsen and A Peter McGraw. Further evidence for mixed emotions. *Journal of personality and social psychology*, 100(6):1095, 2011.

[37] Jeff T Larsen, Catherine J Norris, and John T Cacioppo. Effects of positive and negative affect on electromyographic activity over zygomaticus major and corrugator supercilii. *Psychophysiology*, 40(5):776–785, 2003.

[38] Richard S Lazarus. *Emotion and adaptation.* Oxford University Press, 1991.

[39] Frédéric Nils and Bernard Rimé. Beyond the myth of venting: social sharing modes determine the benefits of emotional disclosure. *European Journal of Social Psychology*, 42(6):672–681, 2012.

[40] Stefan Rank, Marcin Skowron, and David Garcia. From dyads to group interactions with affective dialog systems. *International Journal of Computational Linguistics Research*, 2013.

[41] Bernard Rimé. The social sharing of emotion as an interface between individual and collective processes in the construction of emotional climates. *Journal of social issues*, 63(2):307–322, 2007.

[42] Bernard Rimé. Emotion elicits the social sharing of emotion: Theory and empirical review. *Emotion Review*, 1(1):60–85, 2009.

[43] Tyler W. Rinker. *qdap: Quantitative Discourse Analysis Package*. University at Buffalo/SUNY, Buffalo, New York, 2013.

[44] Donald F Roberts and Christine M Bachen. Mass communication effects. *Annual review of psychology*, 32(1):307–356, 1981.

[45] Michael D Robinson and Gerald L Clore. Episodic and semantic knowledge in emotional self-report: evidence for two judgment processes. *Journal of personality and social psychology*, 83(1):198, 2002.

[46] James A. Russell. A circumplex model of affect. *Journal of personality and social psychology*, 39(6):1161–1178, 1980.

[47] James A Russell. Emotion, core affect, and psychological construction. *Cognition and Emotion*, 23(7):1259–1283, 2009.

[48] James A Russell, Anna Weiss, and Gerald A Mendelsohn. Affect grid: a single-item scale of pleasure and arousal. *Journal of personality and social psychology*, 57(3):493, 1989.

[49] Robb B Rutledge, Nikolina Skandali, Peter Dayan, and Raymond J Dolan. A computational and neural model of momentary subjective well-being. *Proceedings of the National Academy of Sciences*, 111(33):12252–12257, 2014.

[50] David Sander, Didier Grandjean, and Klaus R Scherer. A systems approach to appraisal mechanisms in emotion. *Neural networks*, 18(4):317–52, May 2005.

[51] Thomas C Schelling. Dynamic models of segregationâĂă. *Journal of mathematical sociology*, 1(2):143–186, 1971.

[52] Klaus R Scherer. Appraisal considered as a process of multilevel sequential checking. *Appraisal processes in emotion: Theory, methods, research*, 92:120, 2001.

[53] Klaus R Scherer. The dynamic architecture of emotion: Evidence for the component process model. *Cognition and Emotion*, 23(7):1307–1351, 2009.

[54] Frank Schweitzer. *Brownian Agents and Active Particles. Collective Dynamics in the Natural and Social Sciences*. Springer Series in Synergetics. Springer, 2003.

[55] Frank Schweitzer and David Garcia. An agent-based model of collective emotions in online communities. *The European Physical Journal B*, 77(4):533–545, 2010.

[56] Charles R Seger, Eliot R Smith, and Diane M Mackie. Subtle activation of a social categorization triggers group-level emotions. *Journal of Experimental Social Psychology*, 45(3):460–467, 2009.

[57] Limor Shifman. An anatomy of a youtube meme. *New Media & Society*, 14(2):187–203, 2012.

[58] Craig A Smith and Phoebe C Ellsworth. Patterns of cognitive appraisal in emotion. *Journal of personality and social psychology*, 48(4):813, 1985.

[59] Eliot R Smith and Frederica R Conrey. Agent-based modeling: a new approach for theory building in social psychology. *Personality and social psychology review*, 11(1):87–104, 2007.

[60] Eliot R Smith and Diane M Mackie. Dynamics of group-based emotions: Insights from intergroup emotions theory. *Emotion Review*, 7(4):349–354, 2015.

[61] Herbert A Sturges. The choice of a class interval. *Journal of the American Statistical Association*, 21(153):65–66, 1926.

[62] Henri Ed Tajfel. *Differentiation between social groups: Studies in the social psychology of intergroup relations.* Academic Press, 1978.

[63] Mike Thelwall, Kevan Buckley, and Georgios Paltoglou. Sentiment in Twitter events. *Journal of the American Society for Information Science and Technology*, 62(2):406–418, 2011.

[64] Mike Thelwall, Kevan Buckley, Georgios Paltoglou, Di Cai, and Arvid Kappas. Sentiment strength detection in short informal text. *Journal of the American Society for Information Science and Technology*, 61(12):2544–2558, 2010.

[65] Michael Turnbull, Sandy Wolfson, et al. Effects of exercise and outcome feedback on mood: Evidence of misattribution. *Journal of Sport Behaviour*, 25(4):394–406, 2002.

[66] John C Turner, Michael A Hogg, Penelope J Oakes, Stephen D Reicher, and Margaret S Wetherell. *Rediscovering the social group: A self-categorization theory.* Basil Blackwell, 1987.

[67] Robin R Vallacher, Andrzej Nowak, Michael Froehlich, and Matthew Rockloff. The dynamics of self-evaluation. *Personality and Social Psychology Review*, 6(4):370–379, 2002.

[68] Alexander JAM van Deursen and Jan AGM Van Dijk. The digital divide shifts to differences in usage. *New Media & Society*, 16(3):507–526, 2014.

[69] Gerben A Van Kleef. How emotions regulate social life the emotions as social information (easi) model. *Current Directions in Psychological Science*, 18(3):184–188, 2009.

[70] William N Venables and Brian D Ripley. *Modern applied statistics with S*. Springer Science & Business Media, 2002.

[71] Christian von Scheve and Sven Ismer. Towards a theory of collective emotions. *Emotion Review*, 5(4):406–413, 2013.

[72] Christian von Scheve and Mikko Salmela. *Collective Emotions*. Oxford University Press, 2014.

[73] Kevin Wallsten. "yes we can": How online viewership, blog discussion, campaign statements, and mainstream media coverage produced a viral video phenomenon. *Journal of Information Technology & Politics*, 7(2-3):163–181, 2010.

[74] Noriya Watanabe and Masahiko Haruno. Effects of subconscious and conscious emotions on human cue-reward association learning. *Scientific reports*, 5, 2015.

[75] Max Weisbuch and Nalini Ambady. Affective divergence: automatic responses to others' emotions depend on group membership. *Journal of personality and social psychology*, 95(5):1063, 2008.

[76] Margaret Wetherell. Affect and discourse–whatâĂŹs the problem? from affect as excess to affective/discursive practice. *Subjectivity*, 6(4):349–368, 2013.

[77] Michelle Yik, James A Russell, and James H Steiger. A 12-point circumplex structure of core affect. *Emotion*, 11(4):705, 2011.

[78] Dolf Zillmann and Jennings Bryant. Effect of residual excitation on the emotional response to provocation and delayed aggressive behavior. *Journal of Personality and Social Psychology*, 30(6):782, 1974.

Ethics statement

Procedures used involved standard paradigms and were consistent with the rules of the American Psychological Association and the Declaration of Helsinki. All laboratory studies involved fully informed consent. Approval regarding ethical conduct was obtained from the external advisory board of the CYBEREMOTIONS project for all experiments.

Data accessibility

The data and codes used to produce the results shown here can be access at
`http://github.com/dgarcia-eu/EmotionDynamics_RSOS`

Competing interests

The authors declare no competing interests.

Authors' contributions

AK and DK designed and performed experiments; DG and FS designed agent-based model; DG carried out the statistical analyses; all authors participated on writing the article and gave final approval for publication

Acknowledgments

The authors thank Simon Schweighofer for the useful feedback and discussions, and Elena Tsankova and Mathias Theunis for their help with collecting the empirical data for these experiments.

Funding statement

This research has received funding from the European Community's Seventh Framework Programme FP7-ICT-2008-3 under grant agreement no 231323 (CYBEREMOTIONS). DG and FS received funding from the Swiss National Science Foundation (Grant CR21I1_146499).